

Basic components of a Face-to-Face interaction with a Conversational Agent: Mutual Attention and deixis

Stephan Raidt

G rard Bailly

Fr d ric Elisei

Institut de la Communication Parl e, UMR CNRS n 5009, INPG/Univ. Stendhal
46, av. F lix Viallet, 38031 Grenoble Cedex, France
{raidt, elisei, bailly}@icp.inpg.fr

Abstract

We present a series of experiments that involve a face-to-face interaction between an embodied conversational agent (ECA) and a human interlocutor. The main challenge is to provide the interlocutor with implicit and explicit signs of mutual interest and attention and of the awareness of environmental conditions in which the interaction takes place. A video realistic talking head with independent head and eye movements was used as a talking agent interacting with a user during a simple card game offering different levels of help and guidance. We analyzed the user performance and how the quality of assistance given by the embodied conversational agent was perceived. The experiment showed that users can profit from its presence and its facial deictic cues.

1. Introduction

In an environment that offers ambient intelligence, users interact with an information system that registers and keeps track of the user's activity and demands. The system is aware of the user(s) and the environmental conditions of the interaction. But how the user(s) can be aware of this awareness, communicate intuitively with the system and consider this intrusion of ubiquitous information in private life as friendly and cooperative? We claim here for the embodiment of ambient intelligence whenever possible. All the unique affordances of the human body are recruited in the metaphor of face-to-face conversation as amplified by Cassell [5]. The issue of embodiment is here crucial: physical embodiment with companion robots guarantees presence and a full range of actions in the physical world, such as poking or grasping various objects as in [16] whereas virtual characters may invade displays (screens, windows, etc) in the vicinity of the user(s), accompany him more easily and provide multimodal information on the same media.

Two complementary perspectives coexist implicitly in the development of Embodied Conversational Agents (ECA). The dialogic perspective [5] focuses on the study of communicative interaction, with strong semantic and linguistic components, between human and/or software agents in mediated information systems. This perspective considers that the ultimate goal of interaction is information retrieval with ECA being the communication interface.

The sociable perspective [3, 4] puts forward the embodiment. In this later perspective our analysis and comprehension of an interaction is deeply grounded in our senses and actuators. We do have strong expectations on how dialogic information is

encoded into multimodal signals. Of course user's scene representation, mental state and common belief spaces built when interacting with an ECA are complex constructs that take into account both communicative and sociable dimensions of interaction.

Appropriate interaction loops have to be implemented. They have to synchronize two different dialogic loops. On the one hand there are low-frequency dialogic loops. They require analysis, comprehension and synthesis of dialog acts with time scales of the order of a few utterances. On the other hand there are interaction loops of higher frequency. These require prompt reactions to the scene analysis such as involved in eye contact or exogenous saccades. Information- and signal-driven interactions should then both be coupled to guarantee efficiency, believability, trustfulness and user-friendliness of the information retrieval.

The work described here is dedicated to the analysis, modeling and control of multimodal face-to-face interaction between an embodied virtual conversational agent and a user. We particularly study here the impact of mutual attention and deictic gestures in a series of simple deictic tasks.

2. Theoretical Background

2.1. Eye gaze and attention

The cognitive demand of a task has a striking impact on the human analysis of audiovisual scenes and their perception. The eye gaze pattern during the examination of pictures is highly influenced by the interest of the observer as shown by Yarbus [21] for example. He instructed a subject to answer seven different questions about the depicted situation in Repin's picture "An Unexpected Visitor". Resulting eye gaze patterns show that eyes tend to be attracted by those parts of the scene containing relevant information for the answers to these questions. Similarly Vatikiotis-Bateson et al [19] showed that eye gaze patterns of perceivers during audiovisual speech perception are influenced both by environmental conditions (audio signal-to-noise ratio) and by the recognition task (identification of phonetic segments vs. the sentence's modality). The importance of eye gaze to the perceived quality of face-to-face communication was shown by Garau et al. [7]. They compared the user's appreciation of face-to-face communication via a crossed monitor setup. The four conditions were video display of interlocutor, representation of interlocutor by an avatar with a gaze model for looking at or away from partner, an avatar with random gaze and pure audio communication. Despite the fact that movements of lips of the avatar were estimated from the audio

signal, they found significant differences in the effects of implementing different strategies to control eye-movements of an artificial agent at turn-taking boundaries. The most “lifelike” version scored best.

The work of Simons and Chabris [18] suggests that attention is essential to consciously perceive any aspect of a scene. Major changes to objects or scenes may be ignored (‘change blindness’) and objects may not even be perceived (‘inattention blindness’) if they are not in our focus of attention. While not even salient visual features as for instance highlighting or blinking are given much attention, unless they convey important information for the recognition of a scene, visual attention can indirectly be guided using visual cues.

In the Posner cueing paradigm [12, 13], observer performance in detecting a target is typically better in trials in which the target is present at the location indicated by a former visual cue than in trials in which the target appears at the uncued location. The outstanding prominence of the human face in this respect was shown by Langton et al. [8, 9], who have shown that observers react more quickly when the cue is an oriented face than when it is an arrow. Driver et al. [6] have shown that a concomitant eye gaze alone also speeds the reaction time.

2.2. Eye gaze and mental states

More generally, eye gaze is a crucial modality of human activity to attribute beliefs, goals, and percepts to other people. The set of abilities that allow an individual to infer these hidden mental states based on observed actions and behavior is called a “theory of mind” [14]. Several TOM have been proposed [2, 10]. Baron-Cohen proposes notably an Eye Direction Detector (EDD) and an Intentionality Detector (ID) as basic components of a Shared Attention Mechanism (SAM) that is essential to the TOM’s bootstrap. The actual implementation of these modules requires the coordination of a large number of perceptual, sensorimotor, attentional, and cognitive processes. Scassellati [17] developed an *embodied theory of mind* to link high-level cognitive skills to the low-level motor and perceptual abilities of a humanoid robot. The low-level motor abilities comprised coordinated eye, head and arm movements for pointing. The low-level perceptual abilities comprised essentially detection of salient textures and motion for monitoring pointing and visual attention.

We see here that even the unique control of eye gaze in face-to-face interaction is very complex and requires the coordination and cooperation of multiple processes. Some of these processes are more particularly dedicated to the analysis of the multimodal scene whereas some others are more particularly concerned with interpreting the communicative intentions of the user that the information system may respond to.

3. Interaction with an ECA

For a beneficial application of an ECA in face-to-face interaction with a human, the ECA has to be equipped with the means to derive meaning from the implicit and explicit

communicational gestures of a human interlocutor. Likewise, it needs the ability to also produce such gestures for communication purposes. To convince a user of its awareness, an ECA must give direct and indirect signs that it actually knows about *where* the interaction is taking place, *who* is its interlocutor and *what* service it may provide to the user considering the given environment. Giving the ability to interpret human behavior, the system encourages the interlocutor to show the appropriate natural activity. Therefore it is important that the ECA knows how to display what would correspond to mental states in humans. This allows the user to understand the system’s actions in terms of human expressiveness and to assign them a corresponding meaning. Thus the system may maintain an interaction based on human patterns.

Such a complex face-to-face interaction requires intensive collaboration between an elaborate scene analysis and the specification of the task to be performed in order to generate appropriate and convincing actions of the ECA (see Figure 1). Our perspective is to develop an embodied TOM to link high-level cognitive skills to the low-level motor and perceptual abilities of a virtual conversational agent and to demonstrate that such a TOM will provide the information system with enhanced user satisfaction as well as afford efficient and robust interaction. The motor abilities are principally extended towards speech communication i.e. adapting content and speech style to the pragmatic needs of communication (e.g. confidentiality), to the speaker (notably age and possible communication handicaps) and to the environmental conditions (e.g. noise). If the use of a virtual talking head instead of a humanoid robot limits physical actions, it extends the domain of interaction to the virtual world. The user can also interact with other screen objects, such as icons, surrounding the virtual talking head.




Figure 1: ECA-Human interaction scheme

4. The face-to-face platform

For our experiments on multi-modal face-to-face interaction with the talking agent, we have developed an hardware and software platform. During interaction with the system, the user sits in front of a standard-looking flat screen facing a 3D talking head, as shown in Figure 2. Hardware and software specificities allow the user to interact with the system using

eye gaze, a mouse and speech. The 3D clone can look at the user, talk to him, react to his or her eye gaze, and look at screen objects. These elements form the basis of a grounded face-to-face situation.



Figure 2: Face-to-face interaction platform with a 3D clone

4.1. The Hardware

The flat screen used for the display of the ECA is a Tobii 1750 eye-tracker¹ that discretely embeds infrared lights and a camera. It allows us to detect, at up to 50 Hz, the eye gaze of the user. The user can move and rotate his or her head freely in a fairly unrestricted 3D volume (30 x 15 x 20 cm, centered at 50 cm away from the screen). The average accuracy is 0.5 degrees for measured gaze and 3 milliseconds for the measured time stamps. Each user has to follow a single short calibration procedure before interaction. A standard graphic hardware with 3D acceleration achieves real-time rendering of the talking head on the screen.

4.2. The Talking Head

We use the cloned 3D appearance and articulation gestures of a real human [1, 15] as shown in Figure 3. The eye gaze and head orientation of the clone can be controlled independently from visual speech synthesis. The eye and head movements are controlled by respectively two and three polar angles. Synthetic trajectories were used, but we plan to use data collected from face-to-face interaction recordings. The clone can be programmed to look at the user, at the same spot on the screen as the user as a sign of mutual attention (exploiting the eye tracker data) or at 2D objects on the screen intended to actively direct the user's attention. The vergence of the eyes is controlled and provides a crucial cue for inferring spatial cognition. The audiovisual messages can either be created from audio recordings of human speaker or be synthesized from text input.




Figure 3: Animated 3D clone with independent head and eye movements

5. The interaction experiment

5.1. The Experimental Scenario

To follow up the findings of Langton and Driver about the special ability of faces and eyes to direct attention, we designed an experiment with an ECA in a complex scene. Our aim is to investigate the effect of the presence of an ECA able to orientate his head and gaze on the user performance during a retrieval task. We chose a virtual card game, where the user is asked to locate and indicate the correct target position of a play card.

On each side of a computer screen, four cards are shown, that reveal numbers once the play card at the lower middle of the screen is selected by a mouse click made by the user. The card is then attached to the mouse cursor and the user has to drop the play card with a click on one of the eight possible target positions represented by the cards at the sides. The correct target position is the one showing the same digit as the play card. To anticipate memory effects the values shown on the cards are shuffled before each turn. The target position is alternated randomly, but uniformly distributed amongst the eight possibilities to compensate possible influences of the respective positions on the user performance. General information about the task is displayed on the screen at the beginning.

To analyze the effect of the presence of the ECA, four experimental conditions of 24 turns respectively were realized (see Figure 4). Condition specific instructions appear as text on the screen before the start of each condition. In the first condition, no clone is displayed. In the second condition, the 3D head is visible and gives a random eye-saccade accompanied by a head turn to one of the non-matching cards just after the eight numbers are revealed. In the third condition, the saccade of the 3D head indicates the correct target position. In the fourth condition the cards are no longer revealed and therefore the values cannot be read. Question marks remain displayed instead, while the saccade by the clone remains correct. In this condition the saccade of the clone is the only cue about the position where to put down the play card. In all four conditions, the oral messages are identical. The test person should find the matching card and random congratulations are uttered upon success.

¹ Please consult <http://www.tobii.se/> for technical details.




Figure 4: Experimental conditions: The experiment is divided into four conditions with different levels of help and guidance by the clone.

5.2. Data Collection

Ten users (six male and four female) took part in the experiment described above. Participants ranged in age from 23 to 33 years and most were students. All regularly use a computer mouse and none reported vision problems. The dominant eye was detected to be the right eye for all but one subject. Each user had to play the game with the four successive experimental conditions described above. Specific written instructions given on the screen, followed by a corresponding training session with three card pairs to match preceded each condition and thus informed the user about the respective gaze behavior of the clone. No strategy was suggested, but the user was instructed to find the matching pair as fast as possible.

During the four successive playing sessions, the time needed to match the right pair was measured as the time between the click on the play card and the time of the click on its target position. Furthermore, the gaze of the test persons was recorded. This allows to calculate the time spent on the different screen objects and to determine how many objects have been looked at, before the target position for the card was found and selected with a mouse click.

After the experiment, which lasted less than 20 minutes, participants ranked various subjective aspects of the experiment on a five-point scale, quantifying the following points:

- clone quality: authenticity of neck and eye movements, accuracy of gaze in condition 4 (numbers hidden)
- estimation of personal performance: velocity, influence by the distracting eye gazes in condition 2, usefulness of the clone when giving correct indications
- experimental condition: preference of clone's behavior, preference of behavior for best performance

5.3. Analysis of the Experiment

5.3.1. Expected Outcome

Corresponding to the structure of the experiment we expected a negative influence on the test person performance when the clone gave misleading cues and a positive influence when giving matching cues. The condition where no clone is displayed was expected to serve as reference. The fourth condition, in which no numbers are shown on the cards and the clone's saccades are the only information available, was expected to reveal the precision with which the gaze direction of the clone could be perceived.

5.3.2. Influence of the Experimental Conditions on User Performance

The test persons' subjective ratings of the clone's gaze precision being middle to very bad are confirmed by the rather high error rate of 15% (34 errors/240 turns) observed during condition four. Especially one subject (number 9) had an extremely high personal error rate of 37% (9 errors/24 turns). Closer examination showed that almost all wrong choices were made between neighboring cards. Apart from the constrictions of 3D rendering on a screen, this may be due to the momentarily basic implementation of synchronization between gaze and head orientation and their trajectories that are not derived from measured data yet. Another explanation may be the unanimated eyelids [8, 9].

During the other experimental conditions (1 to 3) only one wrong choice of target position occurred and they can therefore be considered as being successfully performed. This is consequential to the possibility to verify the correctness of choice by comparing the numbers shown on the play card and the target position before selecting with a mouse click.

For the evaluation of user performance one possibility is to measure the time between taking up and putting down the play card at the target position by mouse clicks respectively. However the described task is rather complex and therefore it can not be expected to measure improvements in performance of a magnitude as found by Langton et al. [8, 9]. The cognitive demands are higher and the dragging of the play card with the mouse and selection by mouse click are quite complex movements that demand precise coordination. The task offers thus various possibilities for time delays.

The number of visited target positions was considered as another possibility for performance evaluation. When the clone indicates the target position this should ideally reduce to one essay. Accounting for the difficulties to derive precise directions from the clone's eye gaze as discussed before, two essays might be necessary. Searching for the target position without using the assistance by the clone, the user may have to look at up to 8 cards before finding the correct one. Including repetitions this may even be more. The number of visited cards and therefore both possibilities of performance evaluation are highly depending on chance that cannot be controlled.




Figure 5: Performance time means across subjects: Each of the three figures highlights the difference in performance time between two conditions. Subjects are sorted by increasing time-difference between the respective conditions. Left: condition with correct hints (+) and condition with misleading hints (*). Middle: condition with correct hints (+) and condition without clone (°) Right: condition with misleading hints (*) and condition without clone (°). (p=0.05).

For the evaluation of the reaction time the means of the different conditions are compared. The measurements show that five subjects completed the task significantly faster (p=0.05) in the condition with the clone giving correct cues compared to the conditions with the clone giving misleading cues (Figure 5 left). Comparing the condition with correct cues to the condition without the clone, a significant benefit in reaction time could be found for four subjects (Figure 5 middle). It is remarkable that the subjects that are influenced by the cues of the clone are not always the same ones over conditions. The misleading cues of the clone resulted in significantly longer reaction time for only one subject whereas another subject improved for this condition due to a learning effect (Figure 5 right). A negative influence of the misleading cues compared to the experimental condition without the clone can therefore not clearly be stated.

For an interpretation of the gaze data, measured with the eye tracker, we first have to verify that we recorded it sufficiently. Summing up the time spend on surveyed objects on the screen showed that this is indeed the case. Only about 10% of the gaze was not dedicated to surveyed objects, which may be explained by the fact that the play card, as a moving object could not be surveyed. However, we can not be sure that effects of periphery view were of no major importance to user performance.

A crucial correlation was expected between performance time and the time spent looking at the clone. However this could not be found as a general influence. It seems that the test persons developed different strategies to complete the task. This impression is fostered by the subject’s estimation of the influence of the clone’s correct cues. Some subjects rated this influence very high and a corresponding high time span of their gaze was dedicated to the clone. Figure 6 shows the measured data for such a subject who profited from the ECA both in performance time and number of cards visited. This agrees with the subject’s personal estimation (see Figure 7right).

Other subjects chose exactly the opposite possibility, spending little time on the clone and rating its influence accordingly as minor. One subject even reported after the experiment that he deliberately tried to ignore the clone in order to outperform it. All subjects agreed in their estimation that they were little influenced by the clone giving misleading cues (see Figure 7 left). The ability to successfully ignore the clone may be encouraged by the preceding condition without the clone. Here the test persons have to go through all possible target positions until the correct one is found and some users seem to maintain this strategy once adopted even when they might profit from the clone.




Figure 6: Example of measured results (subject 1). Left: The upper diagram shows performance times as box plots for conditions 1 to 4 from left to right. The lower diagram shows the time that the user spent looking at the clone during these conditions. right: Number of cards visited before selecting target position (condition 1 to 3 from top bottom).




Figure 7: User estimation about the influence of the clone behavior on their performance (not aware (1) of influence, to very conscious (5))

5.4. Discussion and Perspectives

We described here our first effort to design a system enabling face-to-face interaction between a 3D talking head capable of mutual attention and shared reality. We addressed an application that resembles our daily use of computer and mouse for information retrieval on screen, e.g. through file directories or icons. With this interesting choice, we collected representative data on the real interaction of our participants with the computer. Validating the interest of our platform in human computer interaction, we found that various strategies were used to perform the task. It might be interesting to explore in which case the cognitive load is higher. One way to achieve this would be to remove the possible pause between two successive cards, and to instruct users that they must act as fast as possible, without pausing. The number of cards could be increased, or cards could be revealed only when looked at. To check for habituation or fatigue, extra turns might be added, so that conditions might be repeated in various orders for the same participant.

Since we expected a strong impact of the clone's presence, we structured the experiment with the four conditions of different levels of help and guidance described above. It might be interesting to see if a different order of conditions (e.g. clone giving correct hints first) would change the attentiveness of users to the clone's gaze. Nagao and Takeuchi [11] found that the order of presentation of the first stimulus can influence the results of the entire experiment. They tested the success of interaction with an information system using an animated face with facial expression (eye gaze was not included) or an unanimated one.

However users could already benefit from this very basic implementation of facial deictic gestures in an ECA with accompanying speech. As no general correlation between user performance and the time spent on the clone itself could be found, there is either a major influence of periphery view, or the mere presence of a clone already motivates the user.

Despite the limitations of a display without stereovision and the lack of spatial accuracy in interpreting the clone's eye gaze, our 3D clone could successfully be used as an extra modality. Of course, 3D rendering on a screen lacks the depth sensation and fails to transmit faithfully all the directions in the 3D world. It remains to be tested whether the neck and

eye gaze animations could be improved to get better results. For this objective, we plan to use our interaction system to record eye gaze of real humans in the symmetrical situation.

6. Conclusions

Our first approach to implement an animated 3D talking clone as an ECA able to maintain face-to-face interaction with a human interlocutor proofed the capability to direct a user's attention with head and eye movements of the clone. With our experimental setup, we have developed a rather flexible hybrid hard- and software platform that allows us to place users in a multi-modal face-to-face interaction with our talking agent and to record their activity for statistical analysis. We demonstrated that users can benefit already from a very basic implementation of facial deictic gestures in an ECA with accompanying speech.

The experiment presented here is very complex. The card game scenario leaves a lot of freedom to the users and they apparently developed different strategies to fulfill the task. Therefore it is obvious that the benefit in reaction time of 20ms for a total reaction time of around 300ms as achieved in the experiments by Langton et al. [8, 9] cannot be assessed here. However, almost all test persons effectively profit from the presence of the clone.

We believe that the study and modeling of the components of human face-to-face interaction are crucial elements to obtain an intuitive, robust and reliable communication interface able to establish an interaction loop. While most experimental data on speech and gaze examine attention of the listener, almost no experimental data is currently available on gaze patterns when speaking [20]. This motivates our investigation of interactive real-time eye-gaze patterns of human speakers in face-to-face communication with a special focus on turn taking and the speaking and listening states.

7. Acknowledgments

We gratefully acknowledge the patience of H el ene L evenbruck, the human model for our clone. We thank Alain Arnal and Christophe Savariaux for their technical assistance with the audiovisual capture platform, as well as Matthias Odisio, Pauline Welby and the reviewers for their helpful comments. We are also grateful to our experiment participants.

References

- [1] Bailly, G., B erar, M., Elisei, F., and Odisio, M. (2003) *Audiovisual speech synthesis*. International Journal of Speech Technology, **6**: p.331-346.
- [2] Baron-Cohen, S., Leslie, A., and Frith, U. (1985) *Does the autistic child have a "theory of mind"?* Cognition, **21**: p.37-46.
- [3] Breazeal, C. (2002) *Designing Sociable Robots*.: The MIT Press.
- [4] Brooks, R.A., Breazeal, C., Marjanovic, M., Scassellati, B., and Williamson, M. (1999) *The Cog Project: Building a Humanoid Robot" in Computation for Metaphors, Analogy,*

- and Agents, in *Lecture Notes in Artificial Intelligence*, C. Nehaniv, Editor. Springer: New York. p. 52–87.
- [5] Cassell, J., Sullivan, J., Prevost, S., and Churchill, E. (2000) *Embodied Conversational Agents*. Cambridge: MIT Press.
- [6] Driver, J., Davis, G., Riccardelli, P., Kidd, P., Maxwell, E., and Baron-Cohen, S. (1999) *Shared attention and the social brain : gaze perception triggers automatic visuospatial orienting in adults*. *Visual Cognition*, **6**(5): p.509-540.
- [7] Garau, M., Slater, M., Bee, S., and Sasse, M.-A. (2001) *The impact of eye gaze on communication using humanoid avatars*. in *CHI'01: ACM Conference on Human Factors in Computing Systems*. Seattle, WA. p.309-316.
- [8] Langton, S. and Bruce, V. (1999) *Reflexive visual orienting in response to the social attention of others*. *Visual Cognition*, **6**(5): p.541-567.
- [9] Langton, S., Watt, J., and Bruce, V. (2000) *Do the eyes have it ? Cues to the direction of social attention*. *Trends in Cognitive Sciences*, **4**(2): p.50-59.
- [10] Leslie, A.M. (1994) *ToMM, ToBY, and Agency: Core architecture and domain specificity*, in *Mapping the Mind: Domain specificity in cognition and culture*, L.A. Hirschfeld and S.A. Gelman, Editors. Cambridge University Press: Cambridge. p. 119–148.
- [11] Nagao, K. and Takeuchi, A. (1994) *Speech dialogue with facial displays: multimodal human-computer conversation*. in *32nd conference of the Association for Computational Linguistics*. Las Cruces, New Mexico. p.102-109.
- [12] Posner, M. and Peterson, S. (1990) *The attention system of the human brain*. *Annual Review of Neuroscience*, **13**: p.25-42.
- [13] Posner, M.I. (1980) *Orienting of attention*. *Quarterly Journal of Experimental Psychology*, **32**: p.3-25.
- [14] Premack, D. and Woodruff, G. (1978) *Does the chimpanzee have a theory of mind?* *Behavioral and brain sciences*, **1**: p.515-526.
- [15] Revéret, L., Bailly, G., and Badin, P. (2000) *MOTHER: a new generation of talking heads providing a flexible articulatory control for video-realistic speech animation*. in *International Conference on Speech and Language Processing*. Beijing - China. p.755-758.
- [16] Roccella, S., Carrozza, M.C., Cappiello, G., Dario, P., Cabibihan, J.-J., Zecca, M., Miwa, H., Itoh, K., Matsumoto, M., and Takanishi, A. (2004) *Design, fabrication and preliminary results of a novel anthropomorphic hand for humanoid robotics: RCH-I*. in *IEEE/RSJ International Conference on Intelligent Robot and Systems*. Sendai, Japan. p.266-271.
- [17] Scassellati, B. (2001) *Foundations for a theory of mind for a humanoid robot*, in *Department of Computer Science and Electrical Engineering*. MIT: Boston - MA. p.174.
- [18] Simons, D.J. and Chabris, C.F. (1999) *Gorillas in our midst: sustained inattention blindness for dynamic events*. *Perception*, **28**: p.1059-1074.
- [19] Vatikiotis-Bateson, E., Eigsti, I.-M., Yano, S., and Munhall, K.G. (1998) *Eye movement of perceivers during audiovisual speech perception*. *Perception & Psychophysics*, **60**: p.926-940.
- [20] Vertegaal, R., Slagter, R., Veer, G.v.d., and Nijholt, A. (2001) *Eye gaze patterns in conversations: There is more to conversational agents than meets the eyes*. in *Conference on Human Factors in Computing Systems*. Seattle, USA. p.301 - 308.
- [21] Yarbus, A.L. (1967) *Eye movements during perception of complex objects*, in *Eye Movements and Vision'*, L.A. Riggs, Editor. Plenum Press: New York. p. 171-196.